

# **Lua Scripting in Wireshark**

June 17, 2009

**Stig Bjørlykke**

Software Troubleshooter | Thales Norway AS

**SHARKFEST '09**

Stanford University  
June 15-18, 2009

**THALES**

# Introduction

- About me
  - I'm working as a senior system developer for Thales Norway, a company focusing on defence, aerospace and security markets worldwide
  - Wireshark user since 2003
  - Wireshark core member since 2007
  - I enjoy parachuting and scuba diving

# Agenda

- Introduction to Lua
  - Getting started using Lua in Wireshark
- Functions to write a dissector
  - Obtaining dissection data
  - Presenting information
  - Preferences
  - Post-dissectors
- Functions to create a Listener

# Introduction to Lua



- Lua is a powerful, fast, lightweight, embeddable scripting language designed for extending applications.

# Introduction to Lua

- Script language
  - Good support for object-oriented programming
- Can be precompiled for
  - Faster loading (not faster *execution*)
  - Off-line syntax error detection
  - Protecting source code from user changes
- Lua's official web site  
<http://www.lua.org/>

# Lua variables

- Dynamically typed language
- All values are *first-class values*
- Eight basic types
  - nil, boolean, number, string, function, userdata, thread and table
- All variables are global unless using the *local* keyword

# Lua in Wireshark

- Usage in Wireshark
  - Dissectors
    - Used to decode packet data
  - Post-dissectors
    - Called after every other dissector has run
  - Listeners
    - Used to collect information after the packet has been dissected

# Lua in Wireshark

- Advantages
  - Easy prototyping, implementing and testing
  - Small amount of code needed
  - No memory management
  - Easy to share with others
  - Perfect for reverse engineering

# Lua in Wireshark

- Disadvantages
  - Several times slower than writing in C
  - Only a subset of dissector functions
  - Code is not distributed with Wireshark
  - Not widely used yet

# Lua in Wireshark

- How Lua fits into Wireshark
  - A file called `init.lua` will be called first
    - First from the global configuration directory
    - Second from the personal configuration directory
  - Scripts passed with the `-x lua_script:file.lua` will be called after `init.lua`
  - All scripts will be run **before** packets are read, at the end of the dissector registration process.

# Lua in Wireshark

- Not fully implemented yet
  - Not built by default on all platforms
  - Disabled in the init scripts
  - Still missing some functionality
  - Documentation is incomplete
  - Few working examples available
  - Probably still some bugs


# Getting started

## 1. Check your version of Wireshark Help -> About

Compiled with GTK+ 2.14.  
1.2.3, without POSIX capab  
1.6.0, with Lua 5.1, with G  
with GeoIP, with PortAudio

versus

Compiled with GTK+ 2.12.  
1.2.3, without POSIX capab  
ADNS, without Lua, with Gr  
PortAudio v19-devel (built



# Getting started

## 2. Enable LUA in the global configuration file

Remove the disable\_lua line from init.lua

File can be found from:

Help -> About -> Files -> Global configuration

```
-- Lua is disabled by default, comment out the following line  
-- to enable Lua support.  
disable_lua = true; do return end;  
  
-- If set and we are running with special privileges this setting  
-- tells whether scripts other than this one are to be run.  
run_user_scripts_when_superuser = false
```

# Getting started

## 3. Create a test script to check if it works

```
-- hello.lua  
-- Lua's implementation of D. Ritchie's hello world program.  
print ("Hello world!")
```

# Getting started

## 4. Test the hello.lua script

This can be done with tshark

```
$ tshark -X lua_script:hello.lua  
Hello world!  
Capturing on AirPort  
1  0.000000 192.168.1.55  -> 192.156.1.255  NBNS Name query NB XXX.COM<00>
```

# Create a simple dissector

- Example: My Simple Protocol
  - Protocol specifications
    - Message Id (4 bytes)
    - Magic Value (4 bits)
    - Message Format (4 bits: 1=Text 2=Binary)
    - Data (variable length)
  - Runs on UDP port 1000

# Create a new protocol

- Proto
  - Creates a new protocol in Wireshark
    - proto.dissector: a function you define
    - proto.fields: a list of fields
    - proto.init: the initialization routine
    - proto.prefs: the preferences
    - proto.name: the name given

# Create a new protocol

```
-- Create a new dissector  
  
MYPROTO = Proto ("myproto", "My Simple Protocol")
```

# Add a protocol dissector

- Proto.dissector
  - This is the function doing the dissecting
  - Takes three arguments: buffer, pinfo and tree

```
-- The dissector function  
  
function MYPROTO.dissector (buffer, pinfo, tree)  
  
    <do something>  
  
end
```

# Create protocol fields

- ProtoField
  - To be used when adding items to the tree
  - Integer types:
    - ProtoField.{type} (abbr, [name], [desc],  
[base], [valuestring], [mask])  
uint8, uint16, uint24, uint32, uint64, framenum
  - Other types
    - ProtoField.{type} (abbr, [name], [desc])  
float, double, string, stringz, bytes, bool, ipv4, ipv6, ether,  
oid, guid

# Create protocol fields

- Proto.fields
  - Contains a list of all ProtoFields defined

```
-- Create the protocol fields

local f = MYPROTO.fields

local formats = { "Text", "Binary", [10] = "Special" }

fmsgid  = ProtoField.uint32 ("myproto.msgid",   "Message Id")
f.magic  = ProtoField.uint8 ("myproto.magic",    "Magic", base.HEX, nil, 0xF0)
f.format = ProtoField.uint8 ("myproto.format",   "Format", nil, formats, 0x0F)
f.mydata = ProtoField.bytes ("myproto.mydata",  "Data")
```

# The protocol initialization

- Proto.init
  - Called before we make a pass through a capture file and dissect all its packets
    - E.g. when we read in a new capture file, or run a «filter packets» or «colorize packets»

```
-- A initialization routine

local packet_counter

function MYPROTO.init ()
    packet_counter = 0
end
```

# Fetch data from the packet

- Tvb / TvbRange
  - The buffer passed to the dissector is represented by a tvb (Testy Virtual Buffer)
  - Data is fetched by creating a TvbRange
    - Tvb ([offset], [length])
  - The tvbrange can be converted to correct datatypes with this functions
    - uint, le\_uint, float, le\_float, ipv4, le\_ipv4, ether, string, bytes

# Fetch data from the packet

```
-- The dissector function

function MYPROTO.dissector (buffer, pinfo, tree)

-- Fetch data from the packet
local msgid_range = buffer(0,4)
local msgid = msgid_range:uint()

-- This is not supported in Wireshark, yet
local format = buffer(4,1):bitfield(4,4)

local mydata = buffer(5):bytes()

end
```

# Adding fields to the tree

- **TreeItem**
  - Used to add a new entry to the packet details, both protocol and field entry
  - Adding a new element returning a child
    - `treeitem:add ([field | proto], [tvbrange], [label])`
  - Modifying an element
    - `treeitem:set_text (text)`
    - `treeitem:append_text (text)`
    - `treeitem:add_expert_info ([group], [severity], [text])`
    - `treeitem:set_generated ()`

# Adding fields to the tree

```
-- The dissector function

function MYPROTO.dissector (buffer, pinfo, tree)

-- Adding fields to the tree

local subtree = tree:add (MYPROTO, buffer())
local offset = 0

local msgid = buffer (offset, 4)
subtree:add (fmsgid, msgid)
subtree:append_text (", Message Id: " .. msgid:uint())
offset = offset + 4

subtree:add (f.magic, buffer(offset, 1))
subtree:add (f.format, buffer(offset, 1))
offset = offset + 1

subtree:add (f.mydata, buffer(offset))

end
```

▽ My Simple Protocol, Message Id: 70213

    Message Id: 70213  
    0001 .... = Magic: 0x01  
    .... 0010 = Format: Binary (2)  
    Data: 01000001000000000000377777710676F6F676C652D616E...

# Register the protocol

- DissectorTable
  - This is a table of subdissectors of a particular protocol, used to handle the payload
    - DissectorTable.get (tablename)
  - The most common tablenames
    - TCP and UDP uses port numbers
      - «tcp.port» and «udp.port»
    - Ethernet uses an ether type
      - «ethertype»

# Register the protocol

```
-- Register the dissector  
  
udp_table = DissectorTable.get ("udp.port")  
udp_table:add (1000, MYPROTO)
```

# Packet information

- Read only
  - pinfo.number: packet number
  - pinfo.len: packet length
  - pinfo.rel\_ts: time since capture start
  - pinfo.visited: true if package has been visited
- Generated during capture

# Packet information

- Read write
  - pinfo.cols: packet list columns
  - pinfo.src
  - pinfo.src\_port
  - pinfo.dst
  - pinfo.dst\_port
- Generated while dissecting

# Modifying columns

- All columns can be modified
  - Most common is protocol and info
    - pinfo.cols.protocol
    - pinfo.cols.info
  - Others can be the addresses
    - pinfo.cols.src
    - pinfo.cols.dst
    - pinfo.cols.src\_port
    - pinfo.cols.dst\_port

# Modifying columns

```
-- The dissector function

function MYPROTO.dissector (buffer, pinfo, tree)

local offset = 0
local msgid = buffer(offset, 4)

-- Modify columns

pinfo.cols.protocol = MYPROTO.name
pinfo.cols.info = "Message Id: "
pinfo.cols.info:append (msgid:uint())

<continue dissecting>

end
```

No..	Time	Source	Destination	Protocol	Info
1	0.000000	192.168.39.109	192.168.39.245	MYPROTO	Message Id: 162
2	0.030561	192.168.39.245	192.168.39.109	MYPROTO	Message Id: 162
3	12.100564	192.168.39.64	192.168.39.245	MYPROTO	Message Id: 69
4	12.131395	192.168.39.245	192.168.39.64	MYPROTO	Message Id: 69

# Adding preferences

- Pref
  - Creates a preference to be put in Proto.prefs
  - Several types available
    - Pref.{bool,uint,string} (label, default, desc)
    - Pref.enum (label, default, desc, enum, radio)
    - Pref.range (label, default, desc, range, max)
    - Pref.statictext (label, desc)
  - Can be used as a regular variable

# Adding preferences


```
-- Add a integer preference

local p = MYPROTO.prefs

p.value = Pref.uint ("Value", 0, "Start value for counting")

-- Use the preference

if not pinfo.visited and msgid:uint() >= p.value then
    packet_counter = packet_counter + 1
end
```




# Adding preferences

```
-- Add a enum preference

local p = MYPROTO.prefs

local eval_enum = { { "First", "First value", 0 },
                    { "Second", "Second value", 1 },
                    { "Third", "Third value", 2 } }

p.value = Pref.uint ("Value", 0, "Start value for counting")
p.eval = Pref.enum ("Enum Value", 1, "Another value", eval_enum, true)
p.text = Pref.statictext ("The enum value is not yet implemented")
```



# Create a post-dissector

- A post-dissector is just like a dissector
  - Register a protocol (with a dissector)
    - register\_postdissector (Proto)
  - It will be called for every frame after dissection

```
-- Create a new postdissector

MYPOST = Proto ("mypost", "My Post Dissector")

function MYPOST.dissector (buffer, pinfo, tree)


<do something>

end

register_postdissector (MYPOST)
```

# Create a Listener

- A Tap is a listener which is called once for every packet that matches a certain filter or has a certain tap.
  - Register a new listener
    - `Listener.new ([tap], [filter])`
  - Must have this functions
    - `listener.packet`
    - `listener.draw`
    - `listener.reset`



# Create a Listener

```
-- My Simple Listener

local function my_simple_listener ()
    local tw = TextWindow.new ("My Simple Listener")
    local tap = Listener.new (nil, "myproto")

    tw:set_atclose (function () tap:remove() end)

    function tap.packet (pinfo, buffer, userdata)
        -- called once for every matching packet
    end

    function tap.draw (userdata)
        -- called once every few seconds to redraw the gui
    end

    function tap.reset (userdata)
        -- called at the end of the capture run
    end

    retap_packets ()
end

register_menu ("My Simple Listener", my_simple_listener, MENU_TOOLS)
```

# Obtain field values

- Field
  - Fields can be extracted from other dissectors
    - `Field.new (filter)`
- FieldInfo
  - An extracted Field used to retrieved values
    - `fieldinfo.value`
    - `fieldinfo.len`
    - `fieldinfo.offset`

# Obtain field values

```
-- Register a field value

udp_len_f = Field.new ("udp.length")

local function menuable_tap ()

    function tap.packet (pinfo, buffer, userdata)

        -- Fetch the UDP length
        local udp_len = udp_len_f()

        if udp_len and udp_len.value > 400 then

            -- Do something with big UDP packages

        end
    end
end
end
```

# Calling other dissectors

- Dissector
  - A reference to a dissector, used to call a dissector against a packet or a part of it.

```
-- Send data to the UDP dissector
```

```
udp_dissector = Dissector.get ("udp")
udp_dissector:call (buffer, pinfo, tree)
```

```
-- Send data to the UDP dissector's port 53 (DNS) handler
```

```
udp_table = DissectorTable.get ("udp.port")
dnsdissector = udp_table:get_dissector (53)
dnsdissector:call (buffer, pinfo, tree)
```

# Other Methods

- Dumper
  - Used to dump data to files
- TextWindow
  - Creates a new window
- ProgDlg
  - Creates a progress bar dialog
- Address
  - Represents an address

# Wireshark User Guide

- More information is available in the WSUG
  - <http://www.wireshark.org/docs/>
  - 10.4. Wireshark's Lua API Reference Manual

# Summary

- We have created a dissector using
  - Proto
  - ProtoField
  - Tvb / TvbRange
  - TreeItem
  - Pref
  - DissectorTable
- We also provide Listeners and ability to create a post-dissector

# Q & A

Questions?