



SHARKFEST '14

WIRESHARK DEVELOPER AND USER CONFERENCE

JUNE 16-20 2014 · DOMINICAN UNIVERSITY

B6: GET /started/with/ HTTP Analysis

Robert Bullen

Application Performance Engineer
Blue Cross Blue Shield of Minnesota
robert_d_bullen@bluecrossmn.com

The BCBSMN Experience

- Who is Blue Cross Blue Shield of Minnesota?
 - We are the first “Blue” health plan in the nation & the largest in Minnesota.
 - We have 2.6 million members across all 50 states and 3,500 employees.
 - Our administrative costs are less than 10 cents on the dollar, among lowest in the country.
- What do I do there?
 - I perform deep dive packet analysis for a few reasons:
 - To comprehend application functionality for modeling in our APM solution.
 - Troubleshooting.
 - Troubleshooting.
 - Troubleshooting.
 - I co-architect, implement, and administer our Shared Visibility Fabric (SVF).
 - I implement and administer our packet capture appliances.
 - I code in “down” time.


HTTP Is...

- Simple
 - It is stateless.
 - It is a ping/pong request/response protocol (ignore pipelining).
 - It uses human-readable requests, responses, headers, and sometimes payloads.

HTTP Is...

- Distributed/Multitiered
 - Services can be load balanced.
 - Connections can be forward and/or reverse proxied.
 - Static content can be separated and cached in a different tier from dynamic content.
 - Content can be localized through a CDN.
 - Resources can be redirected (e.g. URL shrinkers rely on this).
 - Applications might be composites that pull from multiple sites.

HTTP Is...

- Flavored
 - HTTP 1.0
 - HTTP 1.1 (this is the important one)
 - WebSockets (sorta)
 - SPDY/HTTP 2.0
- 


HTTP Is...

- Ubiquitous
 - Web and application servers serving HTML.
 - Middle tier application servers publishing SOAP services.
 - Back-end SOA buses accepting SOAP/XML calls as a façade to legacy services.
 - Internet RESTful APIs to database-like resources.
 - Clients and servers are readily available as standalone programs or as libraries in most programming/scripting languages.

HTTP Is...


- Complex
 - Applications can utilize cookies or HTML hidden fields for statefulness
 - Applications can add caching for performance
 - Applications can add concurrency for throughput
 - Applications can choose to encode content:
 - Compressed (Content-Encoding)
 - Chunked (Transfer-Encoding)
 - More and more often encryption using SSL/TLS is in place at every tier (a.k.a. HTTPS)
 - Analysis gets trickier but is still possible.
 - Remember all those distributed/multitier hops? You'll need keys for each of those tiers you wish to analyze.

HTTP Is...



URIs

`http://username:password@example.com:8042/over/there/index.dtb?type=animal&name=narwhal#nose`




HTTP Request Methods

- Three most common:
 - GET
 - Requests a representation of the specified resource. Requests using GET should only retrieve data and should have no other effect.
 - I equate this to a deterministic, non-modifying function (idempotent).
 - POST
 - Requests that the server accept the entity enclosed in the request as a new subordinate of the web resource identified by the URI. The data POSTed might be, as examples, an annotation for existing resources; a message for a bulletin board, newsgroup, mailing list, or comment thread; a block of data that is the result of submitting a web form to a data-handling process; or an item to add to a database.
 - I like to think of this as a nondeterministic, modifying procedure invocation.
 - CONNECT
 - Instructs an intermediate proxy to create a tunnel to the remote host.
- Others:
 - HEAD, PUT, DELETE, TRACE, OPTIONS, PATCH

HTTP Response Status Codes

- 1xx—Informational
 - 100 Continue—The request header is valid and the client may proceed with sending the request payload.
- 2xx—Successful
 - 200 OK—Need I say more?
 - 202 Accepted—The request has been queued; check back later.
- 3xx—Redirection
 - 302 Found—The requested resource has been temporarily moved and the browser should issue a request to the URL supplied in the Location response header.
 - 304 Not Modified—The requested resource has not been modified and the browser should read from its local cache instead.
- 4xx—Client Error
 - 401 Unauthorized—Anonymous clients are not authorized to view the requested content and must provide authentication information in the WWW-Authenticate request header.
 - 404 Not Found—The requested resource does not exist on the server.
- 5xx - Server Error
 - 500 Internal Server Error—Oftentimes this is the result of an uncaught exception (i.e. an unexpected and unhandled condition or a system error such as out of memory).

HTTP Is Layer 7



SSL Decryption

- You must be in possession of the private key.
 - Wireshark supports PEM or PKCS#12 format. I wrote a paper covering terminology, key file formats, and extracting private keys from those file formats, which you can download at <http://goo.gl/w2r7kt>.
 - The negotiated cryptography algorithm must not be Diffie-Hellman.
- You must configure Wireshark with server:port to private keys mappings.
- The client key exchange must be present in the capture.
 - The client key exchange occurs during the SSL handshake.
 - Rarely you may see a client and server renegotiate in the middle of an established connection.
 - SSL has a performance optimization called session caching where a client and server can reuse previously agreed upon session keys from different conversations.

URL Redirection

<http://www.hanselman.com/blog/ThisURLShortenerSituationIsOfficiallyOutOfControl.aspx>

#	Result	Prot...	Host	URL	Body	Cachi...	Content-...	Process	C
6	301	HTTP	slate.me	/1h0svt8	120	privat...	text/htm...	fiddler...	
7	301	HTTP	slate.trib.al	/8OfbdvM	101		text/htm...	fiddler...	
8	301	HTTP	slate.me	/1tByJQz	120	privat...	text/htm...	fiddler...	
9	301	HTTP	slate.trib.al	/IOYnwof	101		text/htm...	fiddler...	
10	301	HTTP	slate.me	/1kZ76jq	120	privat...	text/htm...	fiddler...	
12	301	HTTP	slate.trib.al	/QjWEhrI	95		text/htm...	fiddler...	
13	301	HTTP	goo.gl	/qF0xUk	323	no-ca...	text/htm...	fiddler...	
14	200	HTTP	www.slate.com	/blogs/future_tense/...	175,...	max-...	text/htm...	fiddler...	

The Waterfall Diagram


- The Waterfall diagram is the best way to start analyzing single client web page performance.
- All the major browsers now come with debugging tools baked right in (“F12” tools) that present a waterfall diagram of (among many other things).
- Third party tools are also available:
 - HTTP Watch—“HTTP Sniffer” (<http://httpwatch.com>)
 - Fiddler—“Web application debugging proxy” (<http://www.telerik.com/fiddler>)
- The information gathered by “F12” tools can be saved to an HTTP archive (HAR) file.
- A Python script called pcap2har (<https://github.com/andrewf/pcap2har>) can be used to convert PCAPs to HAR files.

sharkfest.wireshark.org Home Page Load Waterfall


Server Think Time Response Transmit Time

0.000 0.200 0.400 0.600 0.800 1.000 1.200 1.400 1.600

- 1 /-200 OK
- 1 /jquery-1.3.2.min.js.pagespeed.jm.eWR5iUrZrf.js=200 OK
- 2 /cufon-yui.js=200 OK
- 4 /font.js.pagespeed.jm.xCdxDEfyph.js=200 OK
- 5 /jquery.ad-gallery.css=200 OK
- 3 /jquery.ad-gallery.js.pagespeed.jm.liHqal0Xe1.js=200 OK
- 4 /style14.css=200 OK
- 3 /xvintcerf.jpg.pagespeed.ic.5LoKOzC2GN.jpg=200 OK
- 1 /xtimo.jpg.pagespeed.ic.20cRZUVkPi.jpg=200 OK
- 3 /xregister.png.pagespeed.ic.YcLsqTdOpX.png=200 OK
- 1 /150x50xpacket_logo.png.pagespeed.ic.9x-r8JsSqy.p=200 OK
- 1 /130x32xapcon_logo.png.pagespeed.ic.YC21f7-Usp.png=200 OK
- 5 /120x40xendace.png.pagespeed.ic.vE-1KoSkwd.png=200 OK
- 1 /130x67xbigswitch.png.pagespeed.ic.HZIKUlxbl9.png=200 OK
- 2 /125x38xdualcomm_logo.png.pagespeed.ic.wwor_jHMPF.=200 OK
- 3 /120x32xinside_products_logo.png.pagespeed.ic.KRXY=200 OK
- 5 /120x57xixia.png.pagespeed.ic.RG0bNLzDyP.png=200 OK
- 4 /120x62xgarland_tech.png.pagespeed.ic.j-Df6gt9gA.p=200 OK
- 3 /120x52xloveintyool_Logo.png.pagespeed.ic.bsyZ3QMx=200 OK
- 1 /125x24xnapatech_logo.png.pagespeed.ic.CNOi2xsAIA.=200 OK
- 5 /120x35xarista.png.pagespeed.ic.GwmorRhZNS.png=200 OK
- 2 /125x47xwireshark_university_logo.png.pagespeed.ic=200 OK
- 3 /125x30xinterface.jpg.pagespeed.ic.QKcABq609W.jpg=200 OK
- 1 /125x47xntop_logo.png.pagespeed.ic.AN7t3Sb0K-.jpg=200 OK
- 5 /125x41xriverbed.png.pagespeed.ic.TafbuL6c81.jpg=200 OK
- 6 /ga.js=200 OK
- 2 /back13.png=200 OK
- 3 /bannerblue.jpg=200 OK
- 5 /accordion-titleblue.jpg=404 Not Found
- 1 /socialmediabutton.png=200 OK
- 6 /__utm.gif?utmwv=5.5.2&utms=1&utmn=445238858&utmhn=200 OK
- 4 /footerblue.jpg=200 OK
- 2 /footerehendblue.jpg=404 Not Found
- 2 /mod_pagespeed_beacon?url=http%3A%2F%2Fsharkfest.w=204 No Content




Reverse Proxies & Client Identification



1. Client ephemeral port propagation
2. X-Forwarded-For header
3. Proxy-added cookie header (encoded)
4. Payload matching

Reverse Proxies & Client Identification



1. ~~Client ephemeral port propagation~~
2. X-Forwarded-For header
3. Proxy-added cookie header (encoded)
4. Payload matching

XFF, BIGIP

- X-Forwarded-For: 192.168.1.1
- BIGipServerLive_pool=375537930.544.0000
 - Decoded: IP Address: 10.65.98.22 Port: 34

Top Performance Bottlenecks

- HTML Content
 - Improper caching of static objects
 - Requiring authentication for *every* object on a page
- Client/Server Configuration
 - Low concurrency
 - Poor TCP connection reuse
 - Poor SSL session caching
- Busy server
 - High think time
 - High response transmission time (mid-stream delays)
- Intermediate Devices
 - HTTP proxies or WAFs introducing latency
 - Load balancer challenges
 - Unsynchronized object tags on pool servers
 - Client port collisions

Resources

- HTTP Introduction—<http://www.httpwatch.com/httpgallery/>
- SSL Analysis—http://sharkfest.wireshark.org/sharkfest.09/AU2_Blok_SSL_Troubles_hooting_with_Wireshark_and_Tshark.pps